

MATERIAL SAFETY DATA SHEET

BFM® GLOBAL LTD

P O Box 66-087 Beachhaven, Auckland 0749 New Zealand

Teflex NP (Black)

I. PRODUCT IDENTIFICATION: Product Name: PTFE Laminate (Conductive)

Trade Names &

Synonyms: Teflex NP Black

2. HAZARDS IDENTIFICATION: EMERGENCY OVERVIEW

No unusual conditions are expected from this product. Inhalation of the thermal decomposition products, arising from high temperature or fire, is hazardous to health.

Inhalation: Inhalation of fumes from burning or heating above 600°F (315°C) can cause

polymer fume fever.

Eyes: Not a likely route of entry.

Ingestion: Not a likely route of entry. Ingestion can cause gastrointestinal tract irritation.

3. COMPOSITION/ INFORMATION ON INGREDIENTS: Chemical Name:CAS No.Wt %Polytetrafluoroethylene (PTFE)9002-84-098%Carbon Black1333-86-42%

4. FIRST AID MEASURES: Inhalation: Remove from further exposure. If cough or other symptoms develop,

seek medical attention.

Skin Contact: If skin becomes irritated, do not rub or scratch. Wash the affected area

with soap and water.

Eye Contact: If eyes become irritated, flush immediately with lukewarm water for 15

minutes.

Ingestion: Drink plenty of water to reduce irritation. If irritation persists, seek

medical attention.

5. FIRE-FIGHTING MEASURES: Autoignition point: 900°F (482°C)

Extinguishing media: Water

Special fire fighting protective equipment: Self-contained breathing apparatus with full

face piece and protective clothing if involved in a fire with other materials.

Unusual fire and explosion hazards: Product will emit toxic fumes at high temperatures.

6. ACCIDENTAL RELEASE MEASURES:

Steps To Be Taken In Case Material Is Released Or Spilled: Material is a solid. Pick up the larger pieces and wet sweep or vacuum up any scraps. Place in a suitable container for

disposal as a non-hazardous waste.

7. HANDLING AND STORAGE: Handling: Handle in a manner consistent with good and safe industrial

techniques and practices.

Storage: Store in cool, dry, conditions.





8. EXPOSURE CONTROLS/ PERSONAL PROTECTION: **Exposure Limits:** Polytetrafluoroethylene (PTFE) None

Pigment None

Ventilation: Use local exhaust or general room dilution to maintain

employee exposures below occupational exposure limits.

Respiratory Protection: Under normal use conditions, airborne exposures are not

expected to be significant enough to require respiratory

protection.

Eye Protection: As generally good practice, safety glasses with side shields

should be worn.

9. PHYSICAL AND CHEMICAL **PROPERTIES:**

Boiling point: None 2.16 Specific gravity:

Softening point: not applicable not applicable Melting point: Vapor density: not applicable Percent volatile: not applicable **Evaporation rate:** not applicable Solubility in water: not applicable Odor-appearance-color: PTFE composite

10. STABILITY AND REACTIVITY:

Stability:

Incompatibility (material to avoid): Strong oxidizers, acids, and bases

Hazardous decomposition products: Thermal decomposition may produce toxic

and corrosive gaseous products.

Hazardous polymerization: Will not occur.

11. TOXICOLOGICAL **INFORMATION:**

Immediate (acute) effects: No acute effects have been identified.

Delayed effects: No delayed or chronic effects have been identified.

Inhalation: During normal handling conditions, inhalation in excess of the exposure limits is not likely to occur. Inhalation of thermal decomposition products including hydrogen fluoride, perfluoroisobutylene, and carbonyl fluoride may be produced. Inhalation may result in serious lung irritation. Symptoms of exposure may include chills, headache, nausea, and breathing discomfort, cough, or sore throat (polymer fume fever). These

symptoms generally disappear with 24-48 hours.

12. ECOLOGICAL INFORMATION:

This product has no known eco-toxicological effects. It is considered to be an inert solid waste.

13. DISPOSAL **CONSIDERATIONS:** Waste disposal method: Can be landfilled in compliance with provincial and local environmental control regulations. Do not incinerate unless incinerator is capable of scrubbing hydrogen fluoride and other acidic combustion products. Dispose of as any other innocuous material. Product is not considered a hazardous waste.



14. TRANSPORT INFORMATION: Not regulated per ADR/RID, IMDG and IATA.

15. REGULATORY INFORMATION: TSCA STATUS: All ingredients are TSCA listed.

311/312 HAZARD CATEGORIES: None.

Manufactured in accordance with EC Commission Directive 1907/2006

(REACH) (Artikel 31, Annex II)

16. OTHER INFORMATION: This information is supplied in good faith and is based on information currently available.

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of BFM® Global Ltd. The information in this MSDS relates only to the specific material designated herein. BFM® Global Ltd assumes no legal responsibility for use of or reliance upon the information in this MSDS.